

# Developing the GIS-based maps of the geomorphological and phytogeographical division of the Ukrainian Carpathians for routine use in biogeography

ANDRIY NOVIKOV

*Department of Biosystematics and Evolution of the State Natural History Museum of the NAS of Ukraine, Teatralna str. 18, 79008 Lviv (Ukraine)*

*email: novikoffav@gmail.com*

Keywords: biogeography, mesoregional division, shapefile, Ukrainian Carpathians.

## SUMMARY

The paper introduces GIS-based maps of the geomorphological and phytogeographical division of the Ukrainian Carpathians (a part of Eastern Carpathian Mts.), which were developed for routine use in biogeography and based on the consolidation of the existing publications. The map of the geomorphological division includes 57 OGUs (operational geographic units), and the map of the phytogeographical division – 18 OGUs of the lowest rank. Geomorphological units are supported with available synonyms, which should help in work with different topic-related Ukrainian publications. Both maps follow strict hierarchical classification and are briefly discussed.

## INTRODUCTION

The Ukrainian Carpathians (UC) is part of the Eastern Carpathian mountain province (Kondracki 1989), artificially delimited by the western border of Ukraine and covering about 24,000 km<sup>2</sup>. In general, these are not high mountains – only seven peaks of the UC slightly exceed 2000 m of elevation, and all these peaks, including the highest point of Ukraine, Mt. Hoverla (2061 m a.s.l.), are concentrated in the same Chornohora mountain range (Hiletskyi 2006).

Tsys (1962, 1968) published the first complete geomorphologic division of the UC. Besides five mountainous regions, this division also included adjacent foothills and lowlands (Cisrpathia and Transcarpathia) and comprised 36 districts. Such regionalization of the UC was further developed by many Ukrainian scientists (Herenchuk 1968, Marynych et al. 1985, 2003, Voropay & Kunytsia 1996, Melnyk 1999, Slyvka 2001, Kravchuk 1999, 2005, 2008, Rudenko 2004), including those working in the field of biogeography (Kruhlov 2008, 2012, Korzhyk et

al. 2015, Cherepanyn 2017, Korzhyk 2018). It also served as a basis for the floristic regionalization of the UC, which delimits nine floristic regions, and is most widely applied for phytogeographical purposes in Ukraine (Chopyk 1977, Chopyk & Fedoronchuk 2015). Despite the long history of investigation, divisions of the UC lack consistency in terms of a hierarchical classification of the operational geographic units (OGUs) and common principles of their delimitation (Hiletskyi 2012, Feoli et al. 2019). In particular, OGUs of the same hierarchical level can differ by area by orders of magnitude (e.g., Skolivski Beskydy or Transcarpathia), have no clearly argued limits (e.g., Krayovi Gorgany and Zovnishni Gorgany), are delimited without reason (e.g., Chyvchyn Mts., which are consistent with Marmarosh Mts., are often delimited in Ukrainian papers), or are excessively split (e.g., certain regions of Yalovychory Mts. and Ciscarpathia), even in the same publication (e.g., Tassenkevich 2004, Kruhlov 2012, Chopyk & Fedoronchuk 2015). The delimitation principles of natural geomorphological OGUs of the UC are best described by Hiletskyi (2012). A well-argued congruence of the natural geomorphological OGUs has been reached by Korzhyk et al. (2015) and Korzhyk (2018). However, these divisions cover only the part of the Ukrainian Carpathian Region (UCR) that includes the mountainous part (the UC) and adjacent territories.

Kondracki (1989) proposed the geomorphological division of the Carpathians with different regionalization of its Ukrainian part. Following this scheme, the UC covers five macroregions and 17 mesoregions (some of the macroregions have no subdivision). In contrast to the division of Tsys (1962), the division of Kondracki (1989) is much better known outside of Ukraine. It is often applied for contemporary biogeographical studies in the Carpathian region (Kukuła et al. 2003, Zemanek 2009, Mráz & Ronikier 2016, Kłapyta 2020). Also, Tassenkevich (2004) used Kondracki's scheme

to develop an advanced phytogeographical division of the Carpathians and delimited six counties and 18 regions laid on the Ukrainian territory.

Kruhlov (Kruhlov 2008, 2012), based on the ideas of Miller & Fedirko (1990) and Melnyk (1999), combined geomorphological and ecological data and proposed one of the most recent regionalizations of the UC. The first version of this division (Kruhlov 2008) included 33 'morphogenic meso-ecoregions', but later was completed (Kruhlov 2012), and covered 44 OGUs grouped in 15 main classes (including island OGUs attached to the main Carpathian mountain range). This division is one of the most comprehensive, combining different aspects of spatial, geological, geomorphological, and ecological analyses and clusterization of obtained OGUs. Like Korzhyk et al. (2015) and Korzhyk (2018), Kruhlov's division is also GIS-based, with the OGUs of comparable size and more or less strict hierarchy. However, due to the application of ecological factors (i.e., bioclimatic elevation belts that are delimited based on the vegetation belts, the sum of active annual temperatures, and insolation), the separation and delimitation of some meso-ecoregions (e.g., Hutsulska Verkhovyna, Inner and Outer Bukovyna Mts., Krayovi and Zovnishni Gorgany) are debatable.

In 2015, in the frames of the investigations of the distribution of endemic plants in the Carpathian Mts., the necessity of a GIS-based map of the geomorphological division of the UC arose (Novikoff & Hurdu, 2015). The map of Kruhlov (2008, 2012) was the only one completely covering the UC region and GIS-based simultaneously, but due to the above-mentioned issues, it was dismissed. Similarly, Kruhlov's map did not find wide application among other scientists. Hence, starting from all mentioned above publications, a consolidated scheme for the geomorphological division of the UC following ideas of hierarchy and nomenclature of biogeographic units (Cox 2001, Kreft & Jetz 2010, Morrone 2018, Cervellini et al. 2020)

was developed and reported at the conference “Biogeography of the Carpathians” in Cluj, Romania in 2017 (Novikov & Hurdu 2017).

The preliminary version of the geomorphological division of the UC comprised three hierarchical levels and 53 OGUs of the lowest level (mesoregions). Later, based on newly received data and revisions (e.g., Chorney 2011, Korzhyk et al. 2015, Korzhyk 2018), this scheme was improved (i.e., limits of some mesoregions were corrected, synonyms were completed, and the division was revised). Here we would like to introduce the final version of this scheme and an adapted scheme of Tasenkevich’s (2004, 2005) phytogeographical division of the UC to help other scientists in their biogeographical explorations.

## MATERIALS AND METHODS

The map was developed in QGIS 3 (<https://www.qgis.org/>) environment with the application of the Diva-GIS shapefile of the administrative borders (<https://www.diva-gis.org/Data>), the 15 arc-second resolution layer of the river network (<https://geodata.lib.utexas.edu/catalog/stanford-pv700jx1402>), and the sublayer of OpenStreetMap (OSM, <https://www.openstreetmap.org/>). First, the background sublayer of OSM was imported to the QGIS. After that, the shapefiles of administrative borders and water bodies were uploaded to the project and converted to the WGS 84 coordinate system (EPSG 4326). The initial maps of Tsys (1962), Kondracki (1989), Tasenkevich (2004, 2005), and Chopyk & Fedoronchuk (2015) were scanned and, after that, georeferenced in QGIS 3 with the following transformation settings: linear transformation type and the “Nearest neighbor” resampling method. Finally, the map of Kruhlov’s division also was uploaded to the initial project. As a result, we obtained several overlapping semitransparent layers, which were visually inspected and analysed on consistency

to natural barriers (i.e., river valleys). In case if the limits of the OGUs did not correspond to the natural barriers (e.g., went along or crossed the mountain ridges, went along the river valley but was shifted to higher elevation), they were bookmarked as having problematic topology, and after that corrected using QGIS in-built facilities. Hence, the primary limits of geomorphological and phytogeographical OGUs were ascertained based on the mentioned maps and later clarified and corrected concerning other published materials. In particular, the consolidated map of geomorphological division of the UCR was developed based on the analysis of the following principal publications dealing with physical and geographical aspects of the UCR regionalization: Dolenko (1962), Tsys (1962), Kondracki (1989), Gofstein (1995), Voropay & Kunytsia (1996), Melnyk (1999), Kravchuk (1999, 2005, 2008), Slyvka (2001), Marynych et al. (2003), Rudenko (2004), Kruhlov (2008, 2012), Korzhyk et al. (2015), and Korzhyk (2018). The map of phytogeographical division of the UCR was developed based on the map published by Tasenkevich (2004, 2005) and, after that, partly adapted to the natural limits of geomorphological units.

The final maps, represented in this paper, were reprojected using pseudo-Mercator WGS 84 coordinate system (3857) and extracted as independent ESRI shapefiles excluding other sublayers.

## RESULTS AND DISCUSSION

The map of the geomorphological division of the UCR includes three main levels of OGUs – subprovinces, macroregions, and mesoregions. The intermediate OGU level between macro- and mesoregions was additionally ascertained. In total, 57 OGUs of mesoregional level were delimited in frames of this map (Figure 1, Table 1, Supplementary File 1).




Figure 1. Map of the mesoregional geomorphological division of the Ukrainian Carpathians. cc – Ciscarpathia mesoregions, oc – Outer Eastern Carpathian mesoregions, ic – Inner Eastern Carpathian mesoregions, and tc – Transcarpathia. The abbreviations are transcribed in the Table 1. Bold brown lines indicate the country borders. Narrow black lines indicate the limits of mesoregional OGUs. The top arrow indicates the North direction. For a better perception of the map, some of the main cities in the region are indicated by white circle with central point.

Table 1. Hierarchy and synonymy of OGUs delimited for the map of the geomorphological division of the Ukrainian Carpathians.

ID	OGU Level 1 (Subprovinces)	OGU Level 2 (Macroregions = Oblasts)	OGU Level 2 synonyms	OGU Level 3 (Intermediate sub-macroregional OGUs)	OGU Level 3 OGU synonym	OGU Level 4 (Mesoregions = Districts)	OGU Level 4 synonyms	
cc1	Ciscarpathia	Ciscarpathia	Peredkarpathia, Prykarpathia	Sandomierz Basin	Kotlina Sandomierska	Ternogorod Plateau	Płaskowyż Tarnogrodzki	
cc2				Peremysheľ-Dobromyr Highland		Prybeskidske Peredkarpathia		Pogórze Przemyskie
cc3				Sian-Dniester Lowland				Oversian Basin
cc4				Stryvigor-Bolozivka Highland				Stryvigor Highland
cc5				Upper-Dniester Depression				Dniester-Svicha Lowland
cc6				Drohobych Highland				
cc7				Morshyn Highland				Bolekhiv-Zhuravne region

cc8					Zalissia Highland	Dolyno-Bolokhivskyi region	
cc9					Rozhniativ-Kalush Depression	Limnytsia region	
cc10					Prylukva Highland	Lukva Highland	
cc11					Bystrytsia Depression		
cc12				Gorgany Ciscarpathia	Gorganske Peredkarpathia	Mizhbystritske Horbogirria, Gvizdtske Horbogirria	
cc13					Deliatyn-Nadvirna Highland	Prut-Bystritsia Highland	
cc14					Prut-Lyuchka Highland		
cc15					Tlumach-Obertyn Highland		
cc16					Kolomyia-Chernivtsi Plain		
cc17					Pokuttia Highland		
cc18					Seret-Cheremosh Highland		
cc19					Seret-Prut Highland		
cc20					Bukovina Highland		
cc20				Pokuttia-Bukovyna Ciscarpathia	Pokutsko-Bukovinske Peredkarpathia		
oc1		Beskyds		Eastern Beskyds	Shidni Beskydy	Upper Dnister Beskyds	Verkhniodnisterski Beskydy
oc2						Skole Beskyds	
oc3						Svitsko-Mizunski Gorgany	
oc4						Arshytsia-Ilemski Gorgany	
oc5						Verkhniolimnytski Gorgany	
oc6		Gorgany		Chunk Gorgany	Skybovi Gorgany	Syvuliansko-Stanymyrski Gorgany	
oc7						Dovbushanski Gorgany	
oc8						Zaprutski Gorgany	
oc9		Pokuttia-Bukovyna Mts.				Pokuttia Mts.	
oc10			Pokutsko-Bukovynski Karpaty			Bukovyna Mts.	
oc11						Striy-Sian Verkhovyna	
oc12	Outer Eastern Carpathians			Sian-Rika Verkhovyna	Siansko-Ritska Verkhovyna	Waterdivided Mountain Range	
oc13						Volovets-Mizhgiyria Verkhovyna	
oc14		Waterdivided-Verkhovyna Carpathians	Vododilno-Verhovynski Karpaty	Waterdivided Gorgany	Pryvododilni Gorgany	Torunsko-Bertianski Gorgany	
oc15						Bratkivski Gorgany	
oc16						Yasinia Depression	
oc17					Bystrytsia-Selatyn Lowland	Hutsulska Verkhovyna	Vorokhta-Putyla Valley
oc18						High Bieszczady	Bieszczady Wysokie
oc19		Polonynas-Chorhohora Carpathians				Bukovske Vrchy	Bukovské Vrchy
oc20						Polonyna Rivna	Polonyna Runa
oc21						Polonyna Borzhava	
oc22						Polonyna Krasna	
oc23				Svydovets-		Svydovets	

oc24				Chornohora Carpathians		Chornohora		
oc25				Gryniava-Yalovychoy Carpathians		Gryniava		
oc26						Yalovychoy	Losoviy	
ic1	Inner Eastern Carpathians	Volcanic Carpathians		Tsyrokh-Borzava Valley	Berezne-Lipshansk Valley	Tsyrokh-Borzava Valley	Berezne-Lipshansk Valley	
ic2				Vygorlat-Gutyn Carpathians		Vygorlat		
ic3						Makovytsia		
ic4						Syniak		
ic5						Velykiy Dil		
ic6						Tupiy		
ic7						Oas	Gutyn	
ic8	Maramures	Marmarosh	Maramures Depression	Khust-Solotvyno Depression	Tereblia Massif			
ic9			Maramures Mts.	Marmarosh Mts.	Apsyhtsia Massif			
ic10					Maramures Mts.	Marmarosh Mts.		
tc1	Pannonian	Transcarpathia	Zakarpattia			Transcarpathian Lowland	Tysa Lowland, Prytysenska Dolina, Tysenska Dolina	




Figure 2. Map of the phytogeographical division of the Ukrainian Carpathians. The abbreviations are transcribed in the Table 2. Bold brown lines indicate the country borders. Narrow black lines indicate the limits of phytogeographical OGU. The top arrow indicates the North direction. For a better perception of the map, some of the main cities in the region are indicated by white circle with central point.

Challenges were found in the use of different toponyms for the same OGU in Ukrainian publications (e.g., Transcarpathian Lowland sometimes is also mentioned as Tysa Lowland, Prytysenska Dolina, or Tysenska Dolina). Therefore, special attention was paid to the search and verification of available synonyms, which, if recognized, were provided in the select columns near each OGU.

The hierarchy, subdivision, and IDs of the OGUs of the developed map of the phytogeographical division of the UCR strictly

follow Tasenkevich's concept, which ascertained three main levels of phytochorions – sector, county, and district. Besides this, Tasenkevich also distinguished a fourth level of subdistricts for certain OGUs, but only a few of them lay in the UC. The only exception was the additional inclusion of the Transcarpathian Lowland as an independent unit to this map. As a result, this map has three hierarchical levels with 19 lowest OGUs (Figure 2, Table 2, Supplementary File 2).

Table 2. Hierarchy and synonymy of OGUs delimited for the map of the phytogeographical division of the Ukrainian Carpathians.

ID	Sector	County	District	Subdistrict	
10.0.1	Eastern Carpathians	Ciscarpathia	Peremyshele-Dobromyr Highland		
10.0.2			Ukrainian Ciscarpathia		
11.0.1.1		Eastern Beskyds	Bieszczady		High Bieszczady
11.0.1.2					Bukovské Vrchy
11.0.2			Upper Dnister Beskyds		
11.0.3			Skole Beskyds		
11.0.4			Bukovets		
12		Gorgany	Gorgany		
13.0.1		Polonynas		Rivna	
13.0.2				Borzhava	
13.0.3				Krasna	
14.0.1		Pokuttia-Maramures		Svydovets	
14.0.2				Chornohora	
14.0.3				Gryniava-Yalovychoy	
14.0.4.1				Pokuttia-Bukovyna Mts.	Pokuttia
14.0.5.1				Maramures Mts.	Maramures
14.0.5.2					Maramures Depression
15.0.1				Vygorlat-Gutyn (Volcanic)	
15.0.2		Makovytsia-Oas			
28		Pannonian	Transcarpathia	Transcarpathia	

The map of the phytogeographical division of the UC does not fully correspond to the outlines of the map of geomorphological division due to several reasons. First, as mentioned before, Tasenkevich (2004, 2005) developed her map based on the Carpathian division of Kondracki (1989), which was schematic and, as a result, not always clearly followed the natural limits. Moreover, Kondracki omitted the Ciscarpathia and Transcarpathia in his division because they do

not belong to the Carpathian Mountains in a strict sense (Kliment et al. 2016, Mráz & Ronikier 2016) but rather represent adjacent independent highland and/or lowland territories (Kondracki 1989, Kravchuk 1999, Tasenkevich 2004). Similarly, in his first version, Kruhlov (2008) did not consider these territories. However, he introduced them to the second extended version of the map (Kruhlov 2012) as independent geomorphological units belonging to the UCR in a broad sense. Interestingly,

Ciscarpathia and some of Transcarpathia OGUs were introduced by Kruhlov (2012) as isolated island units.

Nevertheless, the Carpathian Mountains have a strong influence on the flora of the adjacent territories, and therefore they are often considered a part of the UCR and included in analyses by Ukrainian florists (Fodor 1974, Chopyk 1977, Tkachyk 2000, Pryhara 2013, Chopyk & Fedoronchuk, 2015). On the other side, Transcarpathia is a floristically unique territory that belongs to the Pannonian biogeographic region (Fodor 1974, Tasenkevich 2006, Sundseth 2009, Fekete et al. 2016). This was the reason why Tasenkevich (2004) included to her map only a narrow strap of Ciscarpathia basing on the eastern distribution limit of the mixed fir-beech forests and did not include Transcarpathia.

It was not our intention to engage in the debates about the appropriateness of inclusion of Transcarpathia and Ciscarpathia in the UC, and our decision was based on simple technical reason: these regions can be helpful for the analysis of the distribution of some taxa that are spread out of the UC (e.g., subendemics) and as transitional/buffer biogeographical zones (Lenormand et al. 2019). The built maps can be modified for different purposes, and, if needed, Transcarpathia and Ciscarpathia OGUs can be easily excluded from the analyses. If we would not include these regions, their delimitation could be challenging for other researchers due to scattered and published mainly in Ukrainian data.

#### ACKNOWLEDGEMENTS

We thank Dr. Ivan Kruhlov, who kindly provided the initial shapefile of his ecoregional division of the UC, Dr. Bogdan Hurdu for assistance in developing and correcting the initial map of the mesoregional division of the UC, and Dr. Sci. Illia Chorney for help searching the publications and valuable

advice regarding limits about some problematic mesoregions of the UC.

#### SUPPLEMENTARY FILES

Supplementary File 1. Compressed archive in .rar format with shape files for the mesoregional geomorphological division of the Ukrainian Carpathians.

Supplementary File 2. Compressed archive in .rar format with shape files for the phytogeographical division of the Ukrainian Carpathians.

#### REFERENCES

- Cervellini, M., Zannini, P., Di Musciano, M., et al. (2020) A grid-based map for the Biogeographical Regions of Europe. *Biodiversity Data Journal*, 8, e53720. DOI: 10.3897/BDJ.8.e53720
- Cherepanyn, R. (2017). Arctic-alpine plant species of the Ukrainian Carpathians. Publishing house of Vasyl Stefanyk Precarpathian National University, Ivano-Frankivsk. [In Ukrainian]
- Chopyk, V.I. (1977) Identification key for the plants of Ukrainian Carpathians. *Naukova dumka*, Kyiv. [In Ukrainian]
- Chopyk, V.I. & Fedoronchuk, M.M. (2015) Flora of Ukrainian Carpathians, Terno-Graph, Ternopil. [In Ukrainian]
- Chorney, I.I. (2011) The place of Chyvchyn-Grynyava Mountains in the floristic zonation of the Ukrainian Carpathians. *Scientific Principles of Biodiversity Conservation*, 2 (1), 229–242. [In Ukrainian]
- Cox, B. (2001) The biogeographic regions reconsidered. *Journal of Biogeography*, 28 (4), 511–523. DOI: 10.1046/j.1365-2699.2001.00566.x
- Dolenko, G.N. (1962) Geology of oil and gas in Carpathians. AS of USSR, Kyiv. [In Russian]
- Fekete, G., Király, G. & Molnár Z. (2016) Delineation of the Pannonian vegetation region. *Community Ecology*, 17(1), 114–124.

DOI: 10.1556/1  
68.2016.17.1.14

- Feoli, E., Ganis, P., Ibáñez, J.J., et al. (2019) On the use of nestedness-based similarity functions (NBSF) to classify and/or order operational geographic units (OGUs). *Community Ecology*, 20, 223–229. DOI: 10.1556/168.2019.20.3.2
- Fodor, S.S. (1974) Flora of the Transcarpathia. Vyscha Shkola, Lviv. [In Ukrainian]
- Gofstein, I.D. (1995) Geomorphological outline of Ukrainian Carpathians. Naukova Dumka, Kyiv. [In Ukrainian]
- Herenchuk, K.I. (1968) The nature of Ukrainian Carpathians, Ivan Franko Lviv University, Lviv. [In Ukrainian]
- Hiletskyi, Y. (2006) The highest peaks of the Ukrainian Carpathians. In *The problems of geomorphology and paleogeography of the Ukrainian Carpathians and adjacent territories*, p. 40–46. Ivan Franko National University of Lviv, Lviv. [In Ukrainian]
- Hiletskyi, Y.R. (2012) Protected and geographic zone Ukrainian Carpathians as the basis of optimization nature by region. *Scientific Proceedings of the Chernivtsi University. Geography*, 612–613, 28–32. [In Ukrainian]
- Kłapyta, P., Krzemień, K., Gorczyca, E., et al. (2020) Geomorphologic effects of human impact across the Svydovets Massif in the Eastern Carpathians in Ukraine. *Studia Geomorphologica Carpatho-Balcanica*, 53–54, 85–111.
- Kliment, J., Turis, P. & Janišová M. (2016) Taxa of vascular plants endemic to the Carpathian Mts. *Preslia*, 88: 19–76.
- Kondracki, J. (1989) *Karpaty*. Wydawnictwo Szkolne i Pedagogiczne, Warszawa.
- Korzhyk, V.P. (2018) Physical-geographic regionalization of Ivano-Frankivsk oblast. In *Red data book of Ivano-Frankivsk region. Animals* (ed. by I.V. Skilsky and V.V. Buchko), pp. 55–66. Druk-Art, Chernivtsi. [In Ukrainian]
- Korzhyk, V.P., Tokariuk, A.I., Chorney, I.I., et al. (2015) Improved scheme of physical-geographic regionalization of Chernivtsi oblast and some botanical-zoological features of delimited chorions. In *Materials of the second international scientific and practical conference “Regional aspects of floristic and faunistic researches”*, 24–25 April 2015 Putyla, Chernivtsi region, Ukraine (ed. by I.V. Skilsky and A.V. Yuzyk), pp. 168–188. Druk-Art, Chernivtsi. [In Ukrainian]
- Kravchuk, Y.S. (1999) Geomorphology of Peredkarpatia. Merkator, Lviv. [In Ukrainian]
- Kravchuk, Y.S. (2005) Geomorphology of the Skyb Carpathians. Ivan Franko Lviv National University, Lviv. [In Ukrainian]
- Kravchuk, Y.S. (2008) Geomorphology of the Polonyna-Chornohora Carpathians. Ivan Franko Lviv National University, Lviv. [In Ukrainian]
- Kreft, H. & Jetz, W. (2010) A framework for delineating biogeographical regions based on species distributions. *Journal of Biogeography*, 37(11), 2029–2053. DOI: 10.1111/j.1365-2699.2010.02375.x
- Kruhlov, I. (2008) Delimitation, metrization and classification of morphogenic ecoregions for the Ukrainian Carpathians. *Ukrainian Geographical Journal*, 3, 59–68. [In Ukrainian]
- Kruhlov, I. (2012) Morphogenic ecoregions of the Ukrainian Carpathians. In *Catalogue of habitat types of the Ukrainian Carpathians and Transcarpathian Lowland* (ed. by B. Prots and A. Kagalo), pp. 42–43. Merkator, Lviv. [In Ukrainian]
- Kukuła, K., Okarma, H., Pawłowski, J., et al. (2003) Carpathian list of endangered species. WWF–CEI, Vienna – Kraków.
- Lenormand, M., Papuga, G., Argagnon, O., et al. (2019) Biogeographical network analysis of plant species distribution in the Mediterranean region. *Ecology and Evolution*, 9(1), 237–250. DOI: 10.1002/ece3.4718
- Marynych, A.M., Paschenko, V.M. & Shyschenko, P.G. (1985) Nature of Ukrainian SSR. Landscapes and physic-geographical regionalization. Naukova Dumka, Kyiv. [In Russian]
- Marynych, O.M., Parkhomenko, H.O., Petrenko, O.M., et al. (2003) Improved scheme of

- physical-geographic regionalization of Ukraine. *Ukrainian Geographical Journal*, 1, 16–20. [In Ukrainian]
- Melnyk, A.V. (1999) Ukrainian Carpathians: ecological-landscape study. Ivan Franko Lviv University, Lviv. [In Ukrainian]
- Miller, G.P. & Fedirko, O.M. (1990) Ukrainian Carpathians. In: *Geographical encyclopedia of Ukraine*. Vol. 2 (ed. by O.M. Marynych), pp. 113–114. *Ukrainian Soviet Encyclopedia*, Kyiv. [In Ukrainian]
- Morrone, J.J. (2018) The spectre of biogeographical regionalization. *Journal of Biogeography*, 45 (2), 282–288. DOI: 10.1111/jbi.13135
- Mráz, P. & Ronikier, M. (2016) Biogeography of the Carpathians: evolutionary and spatial facets of biodiversity. *Biological Journal of the Linnean Society*, 119 (3), 528–559. DOI: 10.1111/bij.12918
- Novikoff, A. & Hurdu, B.-I. (2015) A critical list of endemic vascular plants in the Ukrainian Carpathians. *Contribuții Botanice*, 50, 43–91.
- Novikov, A. & Hurdu, B.-I. (2017). Geomorphologic division of the Ukrainian Carpathians for routine use in biogeography. In: *Proceedings of the Second Interdisciplinary Symposium “Biogeography of the Carpathians: Ecological and evolutionary facets of biodiversity”* (Cluj-Napoca, 28–30 September 2017). *Studia Universitatis Babeș-Bolyai, Biologia*, 62 (Sp. Iss.), 172-173.
- Pryhara, O.V. (2013) The ecological structure of the flora of Transcarpathian plain. Hoverla, Uzhgorod. [In Ukrainian]
- Rudenko, I. (2004) General geographical atlas of Ukraine. Cartography, Kyiv. [In Ukrainian]
- Slyvka, R.O. (2001), Geomorphology of the Vododil’no-Verkhovynski Carpathians. Ivan Franko Lviv National University, Lviv. [In Ukrainian]
- Sundseth, K. (2009) *Natura 2000 in the Pannonian Region*. Office for Official Publications of the European Communities, Luxembourg.
- Tasenkevich, L. (2004) Regional phytogeographical division of Carpathians. *Scientific Proceedings of the State Natural History Museum of the NAS of Ukraine*, 19, 29–39. [In Ukrainian]
- Tasenkevich, L. (2005) Regional phytogeographical division of the Carpathians. *Roczniki Bieszczadzkie*, 13, 15–28.
- Tasenkevich, L. (2006) The native flora of vascular plants of the Carpathians, its peculiarities and genesis. State Natural History Museum of the NAS of Ukraine, Lviv. [In Ukrainian]
- Tkachyk, V.P. (2000) *Flora of the Ciscarpathia*. Taras Shevchenko Scientific Society, Lviv. [In Ukrainian]
- Tsys, P.M. (1962) *Geomorphology of UkrSSR*. Ivan Franko Lviv University, Lviv. [In Ukrainian]
- Tsys, P.M. (1968) Geomorphology and tectonics. In *The nature of Ukrainian Carpathians* (ed. by K.I. Herenchuk), pp. 50–86. Ivan Franko Lviv University, Lviv. [In Ukrainian]
- Voropay, L.I. & Kunytsia, M.O. (1996) *Ukrainian Carpathians. Physico-geographical aspect*. Radianska Shkola, Kyiv. [In Ukrainian]
- Zemanek, B. (2009) *Fitogeograficzne problemy Karpat*. *Roczniki Bieszczadzkie*, 17, 43–58.

*Submitted: 3 March 2021*

*First decision: 21 June 2021*

*Accepted: 10 July 2021*

*Edited by Alessandro Chiarucci*