

Connectionism: What's structure got to do with it?

Gary F. Marcus (gary.marcus@nyu.edu)

Department of Psychology, New York University, 6 Washington Place, New York, NY 10012

John Hummel (jhummel@psych.ucla.edu)

Department of Psychology, 405 Hilgard Ave, UCLA., Los Angeles, CA 90095

Risto Miikkulainen (risto@cs.utexas.edu)

Department of Computer Science, The University of Texas at Austin, Austin, TX 78712

Lokendra Shastri (shastri@ICSI.Berkeley.EDU)

International Computer Science Institute and UC Berkeley, 1947 Center Street Suite 600, Berkeley CA 94704

Most discussions of connectionism in cognitive science have focused on whether or not simple unstructured networks such as multilayer perceptrons suffice for cognition. Other types of connectionist models have received relatively less attention. The purpose of this symposium is to increase awareness of these other kinds of models, situating them in a context that allows a greater understanding of what kinds of models are good for what kinds of tasks. Our assumption is that in any given domain it is possible to build some adequate model, but that the interesting question is how. The emphasis, then, will be on the strengths and weaknesses of competing connectionist architectures and how they can be usefully applied to models of cognition.

The symposium will start with a discussion by Marcus of some important cognitive phenomena that are difficult to handle with multilayer perceptrons, and then continue with discussions by Hummel, Shastri, and Miikkulainen of how other kinds of connectionist models can account for some of those phenomena.